



TOP SPEED 4T

SAE 5W/40

Modern high-performance engine oil for 4-stroke motorcycles

Description

MOTOREX TOP SPEED 4T is a synthetic-based 4-stroke high-performance engine oil for extremely powerful motorcycles. With this **MC (Molecular Converted)** technology, high-quality base oils are refined chemically and enhanced to achieve the performance level of fully synthetic oils. JASO MA 2 approval ensures that the oil will work perfectly with multi-disc wet clutches.

Advantages

- Synthetic performance
- Excellent wear protection
- Particularly good thermal and shear stability
- Lowers oil consumption
- Catalytic converter tested
- Ideal for multi-disc wet clutches (JASO MA 2 approval)

Field of application

MOTOREX TOP SPEED 4T has been especially developed for use in all machines with large displacements and high torque for which a fully synthetic oil has not been expressly specified by the manufacturers. It is ideal for motorcycles with multi-disc wet clutches. It also meets the highest manufacturer's specifications.

Specially also for the BMW requirements of the K Series (K1200, K1300, K1600) and S1000RR.

Specifications

JASO MA 2
API SN, SL, SJ



JASO T 903: 2011
PERFORMANCE IS GUARANTEED by
BUCHER AG

Technical data

Properties	Unit	Test according to	Values
Viscosity class		SAE J 300	5W/40
Colour		DIN ISO 2049	yellow-brown
Density at 20 °C	g/ml	ASTM D 4052	0.852
Viscosity at 40 °C	mm ² /s	DIN 51562-1	88.6
Viscosity at 100 °C	mm ² /s	DIN 51562-1	14.5
Viscosity according to HTSH at 150 °C	mPa·s	CEC-L-36-A-97	>3.5
CCS at -25 °C / -20 °C	mPa·s	ASTM D 5293	5751
Viscosity index		DIN ISO 2909	171
Pour point	°C	ASTM D 5950	-36
Flash point	°C	DIN EN ISO 2592	>200
NOACK	% by weight	CEC-L-40-A-93	9.5

Water hazard class: WGK 1
Disposal code: VeVA/EWC 130 205

The above information is subject to change without prior notice, although it is in accordance with current standards. Performance characteristics indicated are based on usual tolerances which occur during measuring and production using the latest technology. A safety data sheet is available.

